

PRELIMINARY ASSESSMENT

JONES & PARDEE SMELTER SITE SALT LAKE COUNTY, UTAH (UTD988075263)

UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY
Division of Environmental Response and Remediation
Prepared by: Ty L. Howard

Draft March 15, 1993

FINAL 7/27/93



PRELIMINARY ASSESSMENT

JONES & PARDEE SMELTER SITE SALT LAKE COUNTY, UTAH (UTD988075263)

UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY
Division of Environmental Response and Remediation
Prepared by: Ty L. Howard

Draft March 15, 1993

FINAL 9/27/93 X.C.

PRELIMINARY ASSESSMENT JONES & PARDEE SMELTER SITE SALT LAKE COUNTY, UTAH (UTD988075263)

TABLE OF CONTENTS

LIST	OF APPENDICES	 ii
LIST	OF FIGURES	 ii
1.0	INTRODUCTION	 1
2.0	OBJECTIVES	 1
3.0	SITE DESCRIPTION 3.1 Site Location and Description 3.2 Site History	 1
4.0	POTENTIAL EXPOSURE PATHWAYS 4.1 Waste Characteristics 4.2 Surface Water Pathway 4.2.1 Hydrologic Setting 4.2.2 Surface Water Targets 4.2.3 Surface Water Conclusions 4.3 Groundwater Pathway 4.3.1 Hydrogeologic Setting 4.3.2 Groundwater Targets 4.3.3 Groundwater Conclusions	2 2 2 3
	4.4 Air Pathway 4.4.1 Meteorology 4.4.2 Air Exposure Targets 4.4.3 Air Exposure Conclusions 4.5 Soil Exposure Pathway 4.5.1 Soil Conditions 4.5.2 Soil Targets 4.5.3 Soil Exposure Conclusions	3 4 4 4
5.0	SUMMARY AND CONCLUSIONS	 5
6.0	REFERENCES	 6

LIST OF FIGURES

FIGURE 1. Site Location Map

FIGURE 2. Site Sketch

LIST OF APPENDICES

APPENDIX A. Preliminary Assessment Worksheets

APPENDIX B. EPA Potential Hazardous Waste Site Form

APPENDIX C. CERCLA Eligibility Questionnaire

APPENDIX D. Site Visit Report

APPENDIX E. Latitude/Longitude Document Record Form

APPENDIX F. 1990 Census Tracts

APPENDIX G. Drinking Water Sources within 4 miles of the Site

APPENDIX H. Water Points of Diversion (Flow ≥ 1 cfs) within 4 miles of the Site

APPENDIX I. 1979 Aerial Photograph of the Site

PRELIMINARY ASSESSMENT JONES AND PARDEE SMELTER SITE SALT LAKE COUNTY, UTAH (UTD988075263)

1.0 INTRODUCTION

Under authority of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and the Superfund Amendments and Reauthorization Act of 1986 (SARA), the Utah Department of Environmental Quality, Division of Environmental Response and Remediation (DERR), conducted a Preliminary Assessment (PA) of the Jones & Pardee Smelter Site (UTD988075263) in Salt Lake County, Utah. The scope of the investigation included an onsite reconnaissance visit, evaluation of exposure routes, and a target survey summary. The Environmental Protection Agency (EPA) Preliminary Assessment Worksheets are included as Appendix A and the EPA Potential Hazardous Waste Site Preliminary Assessment Form is included as Appendix B.

2.0 OBJECTIVES

The purpose of the Preliminary Assessment is to report on information concerning conditions at the Site, to assess any threat posed to public health and the environment, and to determine if additional action under CERCLA is warranted. The CERCLA Eligibility Questionnaire is included as Appendix C.

3.0 SITE DESCRIPTION

3.1 Site Location and Description

This location lies within Township 3S, Range 2E of the U.S.G.S. 7.5' Dromedary Peak Quadrangle Map as shown in Figure 1. This area has not been sectioned out on the map. The geographic coordinates are 40° 34′ 20″ north latitude and 111° 41′ 56″ west longitude as calculated and reported in Appendix E. To reach the Site go south on Interstate-15 from Salt Lake City. Take the 7200 South exit eastbound. Turn south on Highway 210 and follow the road into Little Cottonwood Canyon. The Site lies approximately 6 miles up the canyon in the Tanners Flat Campground area. Although the Site is essentially flat this area is located in a steep, sloped region of the mountain. An aerial photograph is included as Appendix I and a site sketch is included as Figure 2. A more detailed description of the Site can be found in the Site Visit Report (Appendix D).

3.2 Site History

The smelter was built in 1871 by the Jones & Pardee Company. It was sold in 1872 to the Wellington Company of San Francisco after which it became known as Wellington Mining & Smelting. The smelter operated with one shaft furnace which had the capacity to process 8 tons of ore per day (Alter, 1932). Records indicate that this smelter was located in Tannerville which was a small lumber and logging town built in the 1850's. In the early 1870's the town also became a smelting and ore shipping center. The town was destroyed

by fire in 1872 and never rebuilt (Carr, 1972). This area is now known as Tanner Flats. Although the town was destroyed in 1872 some records indicate that the smelter operated until 1873 (Porath, A435). Records at the Salt Lake County Recorders office contain very little information on the area now known as Tanner Flats. Records kept during this time frame are sketchy and often contradictory.

4.0 POTENTIAL EXPOSURE PATHWAYS

4.1 Waste Characteristics

All the waste at the site consists of slag which is a by-product of the smelting process. Based on other similar smelters that have been studied in the Salt Lake Valley, slag is generally found to have high concentrations of heavy metals. The amount of slag found at the Site is small but the property on which the smelter was located consists of approximately 20 acres of land some of which is suspected to have contaminated soil. Containment of contaminated soil and waste is absent at the Site. There are also no fences or barriers to prohibit public access to the property.

4.2 Surface Water Pathway

4.2.1 Hydrologic Setting

The terrain at the Site is predominantly flat. The Little Cottonwood Creek is located 25 feet to the south of the Site. The flow rate of Little Cottonwood Creek is approximately 64 cfs (Alserda, 1993). After emerging from the canyon, Little Cottonwood Creek flows to the northwest through residential areas and eventually enters the Jordan River located approximately 20 miles to the northwest. The size of the surrounding upgradient drainage area for this Site is estimated at approximately 2,400 acres.

4.2.2 Surface Water Targets

The only surface water intake within 15 downstream miles of the Site is the Little Cottonwood Water Treatment Plant located near the mouth of Little Cottonwood Canyon. The plant is located approximately 5 miles downstream of the Site. The plant is owned by the Metropolitan Water District which serves a population of approximately 180,000 people of Salt Lake City and Sandy City. All water rights and their uses within 4 miles of the Site can be found in Appendix H.

Little Cottonwood Creek is used by some people as a recreational fishery. Aquatic species commonly caught include cutthroat trout and rainbow trout. These species of fish could become targets for exposure to contaminants if the water in Little Cottonwood Creek were to become contaminated. A reconnaissance of all the wetlands along Little Cottonwood Creek has not been done but there are areas within 15 downstream miles of the Site that contain wetlands.

4.2.3 Surface Water Conclusions

The possibility does exist that the Little Cottonwood Creek could be affected by contaminants associated with the Site. Storm water runoff could leach heavy metals out of contaminated soil and eventually carry them to the creek, or it could carry the contaminated soil particles themselves to the creek which would most likely be the case. If the water in Little Cottonwood Creek were to become contaminated the aquatic life in the creek would be the main concern. The threat to human health would probably be low due to the small volume of waste present and dilution factors.

4.3 Groundwater Pathway

4.3.1 Hydrogeologic Setting

Alluvium in the canyon is composed principally of Quaternary and Tertiary alluvial, glacial, and Lake Bonneville deposits. It is the only glaciated canyon in Utah where glacial ice extended into Lake Bonneville (Hintze, 1988.).

There is not a lot known about the hydrogeology of the area, but it is known that it is a recharge zone for the aquifer system of the Salt Lake Valley. There is probably a thin sediment layer at the base of the canyon with the canyon walls consisting of mostly bedrock. The depth to the water table in this area varies. In some places there are surface expressions of groundwater in the form of springs and in other places groundwater may be several hundred feet below ground surface. Since this site is located in a recharge area there is probably only one aquifer present. There may however, be large areas of perched water.

4.3.2 Groundwater Targets

The closest drinking water source to the Site is the Tanners Flats Spring which is virtually located on the Site. This spring serves a transient population of vacationers who camp at the Tanner Flats Campground during the summer months. There are five other groundwater withdrawals located within a 4 mile radius of the Site. These locations are shown on a map found in Appendix G along with a list which explains each source.

4.3.3 Groundwater Conclusions

Based on the available information and other similar smelter studies, contamination of the aquifer is a possibility. This site is located on a recharge zone for the aquifer system of the Salt Lake Valley.

4.4 Air Pathway

4.4.1 Meteorology

Weather conditions at the Site are similar to the Salt Lake Valley with the exception that this Site lies in Little Cottonwood Canyon which usually receives more precipitation than

the valley floor. The average annual precipitation for this area is about 41 inches, most of which comes in the form of mountain snow pack in the winter time (Lynn, Alta Ski Resort, 1992). Wind patterns near the Site vary and are dependent on season and storm fronts passing through.

4.4.2 Air Exposure Targets

Based on 1990 Census data (Appendix F), there are 41 people living within 1/4 mile of the site and 17,618 people living within 4 miles of the site who could become possible targets for exposure to contaminated air. The Lone Peaks Wilderness area is located approximately 2 miles from the Site. This is a Federally designated wilderness area and as such is considered to be a sensitive environment. The Mount Olympus Wilderness area, located approximately 7 miles from the Site, is also a sensitive environment. There are also small areas of wetlands located along the Little Cottonwood Creek.

4.4.3 Air Exposure Conclusions

If strong canyon winds were to prevail then there could be a risk of exposure to contaminated air due to the stirring up of dust on unpaved roadways and areas of disturbed vegetation. However, most of the area is covered with trees, shrubs and grasses which would inhibit contaminated dust particles from entering the air. The main roads are paved in the immediate area. This is not a very likely route of exposure.

4.5 Soil Exposure Pathway

4.5.1 Soil Conditions

The soil at the Site can be characterized as a gravelly, coarse grained deposit underlain with bedrock. As the soil approaches the Little Cottonwood Creek the soil particles become finer and eventually become stream sediment mixed with bedrock material of Quaternary age. Soil at the Site has been co-mingled with slag from the smelting operation which once existed. Slag can still be found throughout the 20 acre area.

4.5.2 Soil Targets

Based on the 1990 Census data (Appendix F), there are 17,618 people living within a four mile radius of the site and 41 people living with 1/4 mile of the site who could become possible targets for exposure to contaminated soil. The Lone Peaks Wilderness area is a terrestrial sensitive environment and is located approximately 2 miles from the Site. The Mount Olympus Wilderness area is located about 7 miles from the Site.

4.5.3 Soil Exposure Conclusions

Like other similar smelters that have been investigated in the Salt Lake Valley, elevated levels of heavy metals contamination are likely to be present in the soil at the Site. The soil exposure pathway is a likely route of exposure to contaminants if people were to come in contact with it. However, the resident population in the immediate vicinity is small thus

reducing the occurrence of repeated exposure. The main concern would be exposure to contaminated soil by vacationers visiting the area since this is a campground location.

5.0 SUMMARY AND CONCLUSIONS

The Jones & Pardee Smelter Site is located in Little Cottonwood Canyon. Based on the available data, the pathways that may be of concern are the groundwater pathway, surface water pathway, and the soil exposure pathway. The groundwater pathway may be considered a secondary route of exposure due to the small quantity of slag present. The surface water pathway can also be considered a secondary route of exposure for the same reason. The soil exposure pathway appears to be the primary route of exposure, although there are not many targets in the area thus reducing the concern. The air exposure pathway appears to be of no concern since most of the area is heavily vegetated with various types of grasses. The severity of the threat posed by this Site is not thoroughly defined but appears to be minimal.

6.0 REFERENCES

Alserda, Larry, Salt Lake City Hydrology, Personal Conversation, January 8, 1993.

Alter, Cecil J., Utah-The Storied Domain, 1932, p. 410.

Butler, B.S. and Loughlin, G.F.; A Reconnaissance of the Cottonwood-American Fork Mining Region Utah, 1915; p. 184.

Census Tracts, 1990.

Hely, A.G. et al. 1971, Water Resources of Salt Lake County, Utah: Technical Publication #31, Utah DNR, pg. 101.

Hintze, Lehi F., 1988, Geological History of Utah.

Jensen, S.F., 1987, Jordan River Advance Identification Study, Salt Lake County Health Department, Utah Division of Environmental Health, Bureau of Water Quality.

Porath, Joseph H., Original Manuscript, Utah Historical Society, A435, Pg. 16.

Lynn, Terry, Alta Ski Report, Personal Conversation, January 7, 1993.


Seiler, R.L. and Waddell, K.M., 1984, Reconnaissance of the Shallow-Unconfined Aquifer in Salt Lake Valley, Utah, USGS WRI 83-4272.

United States Geological Survey (USGS), 1991, Water Resource Data-Utah.

Utah Division of Drinking Water Sanitation (UDDWS), 1991, Drinking Water Well Listing.

Utah Division of Water Rights (UDWR), 1991, Points of Diversion Listing.

Waddle, K.M., 1987, Groundwater Conditions in Salt Lake Valley, Utah 1969-1983, and Predicted Effects of Increased Withdrawals form Wells, DNR Technical Publication No. 87.




Source: Dromedary Peak, Utah 7.5' Topo, Map.

Scale 1:24,000

DEPARTMENT OF ENVIRONMENTAL QUALITY
DIVISION OF ENVIRONMENTAL
RESPONSE AND REMEDIATION

JONES & PARDEE SMELTER SITE FIGURE #1 Site Location



Not to scale

DEPARTMENT OF ENVIRONMENTAL QUALITY
DIVISION OF ENVIRONMENTAL
RESPONSE AND REMEDIATION

JONES & PARDEE SMELTER SITE FIGURE #2
Site Sketch

APPENDIX A PRELIMINARY ASSESSMENT WORKSHEETS

PRELIMINARY ASSESSMENT WORKSHEET

PREPARER'S NAME: _Ty L. Howard

SITE NAME: JONES & PARDEE SMELTER SITE

DATE: <u>2/24/93</u>

MAJOR CONSIDERATIONS

A) DOES ANY QUALITATIVE OR QUANTITATIVE INFORMATION EXIST THAT MAY INDICATE AN OBSERVED RELEASE TO AIR, GROUNDWATER, SOIL OR SURFACE WATER? YES
ì	Describe: THE SLAG PRESENT AT THE SITE HAS BEEN CO-MINGLED WITH THE SOIL.
ŀ	
B)	IF THE ANSWER TO #1 IS YES, IS THERE EVIDENCE OF DRINKING WATER SUPPLY CONTAMINATION OR ANY OTHER TARGET CONTAMINATION (i.e. food chain, recreation areas, or sensitive environments)? NO
	Describe:
l	
C)	ARE THERE SENSITIVE ENVIRONMENTS WITHIN A 4-MILE RADIUS OR 15 DOWNSTREAM MILES OF THE SITE? YES IF YES, DESCRIBE IF ANY OF THE FOLLOWING APPLY:
,	1) Multiple sensitive environments? WETLANDS ASSOCIATED WITH LITTLE COTTONWOOD CREEK.
	2) Federally designated sensitive environment(s)? LONE PEAKS WILDERNESS AREA.
	3) Sensitive environment(s) downstream on a small or slow flowing surface water body?
D)	IS THE SITE LOCATED IN AN AREA OF KARST TERRAIN? NO Describe:
Ė)	DOES THE WASTE SOURCE LIE FULLY OR PARTIALLY WITHIN A WELLHEAD PROTECTION AREA AS DESIGNATED ACCORDING TO SECTION 1428 OF THE SAFE DRINKING WATER ACT? NO
	Describe:
F)	DOES ANY QUALITATIVE OR QUANTITATIVE INFORMATION EXIST THAT PEOPLE LIVE OR ATTEND SCHOOL ON ONSITE CONTAMINATED PROPERTY? NO
	Describe:
erm	E INFORMATION
1.	SITE NAME: JONES & PARDEE SMELTER SITE
	ADDRESS: LITTLE COTTONWOOD CANYON
	CITY: COUNTY: <u>SALT LAKE</u> STATE: <u>UTAH</u>
	ZIP: 84092 EPA ID: UTD988075263 LATITUDE: 40°34'20" LONGITUDE: 111°41'56"
2.	DIRECTIONS TO SITE (From nearest public road):

	Address: <u>LITTLE COTTONWOOD CANYON</u>	
	City: County: SAI	LT LAKE
	State: UTAH Zip: 84092 Dates	s: From To
	Phone: N/A	
	B. Name of previous owner:	
	Address:	
	City: County:	
	State: Zip: Dates	s: From To
	Phone:	
	Source of ownership data:	
•	. TYPE OF OWNERSHIP (Check all that apply):	
	Private State Municipal <u>X</u> F	Pederal County
	Other (describe):	
•	NAME OF SITE OPERATOR:	
	Address:	
	City: County:	
	State: Zip: Phon	ne:
n.	ACKGROUND/OPERATING HISTORY	
	. DESCRIBE OPERATING HISTORY OF SITE: _THE SMELTER WAS IN	OPERATION FOR TWO YEARS FROM
	MARCH, 1871 TO 1872.	
	Source of information: <u>BUTLER AND LOUGHLIN, 1915.</u>	
	TOUCHTON THE MATHER OF CITT CORDATIONS INVOSCRET GIAC &	
•	DESCRIBE THE NATURE OF SITE OPERATIONS (property size, m storage, etc.): THE SMELTER OPERATED ONE SHAFT FURNACE IN TONS OF ORE PER DAY. THE SMELTER PROCESSED LEAD ORE IN LOCATION KNOWN AS TANNERVILLE. THIS LOCATION IS NOW KNOWN CAMPGROUND. THE SITE COVERS APPROXIMATELY A 20 ACRE AREA	LITTLE COTTONWOOD CANYON AT AS TANNERS FLAT FOREST SERVICE
•	storage, etc.): THE SMELTER OPERATED ONE SHAFT FURNACE IN TONS OF ORE PER DAY. THE SMELTER PROCESSED LEAD ORE IN LOCATION KNOWN AS TANNERVILLE. THIS LOCATION IS NOW KNOWN	LITTLE COTTONWOOD CANYON AT AS TANNERS FLAT FOREST SERVICE.

	Source of information:
	DISCUSS EXISTING SAMPLING DATA AND BRIEFLY SUMMARIZE DATA QUALITY (e.g., same objective, age/comparability, analytical methods, detections limits and QA/QC):I
•	Source of information:
<u>'</u>	PE CONTAINMENT/HAZARDOUS SUBSTANCE IDENTIFICATION
	FOR EACH SOURCE AT THE SITE, SUMMARIZE ON TABLE 1 (attached): 1) Methods of hazard substance disposal, storage or handling; 2) size/volume/area of all features/structu that might contain hazardous waste; 3) condition/integrity of each storage dispo feature or structure; 4) types of hazardous substances handled.
1	BRIEFLY EXPLAIN HOW WASTE QUANTITY WAS ESTIMATED (e.g., historical records or manifest permit applications, air photo measurements, etc.): THE VOLUME OF SLAG FOUND AT SITE APPEARS TO BE SMALL, BUT SOIL MAY BE CONTAMINATED THROUGHOUT A 20 ACRE AREA. THE WAS ESTIMATED VISUALLY DURING THE SITE VISIT.
	Source of information: _SITE VISIT.
	DESCRIBE ANY RESTRICTIONS OR BARRIERS ON ACCESSIBILITY TO ONSITE WASTE MATERIALS: THE SITE IS ACCESSIBLE TO THE PUBLIC.
	Source of Information: <u>SITE VISIT</u>
1	IND WATER CHARACTERISTICS
	IS THERE ANY POSITIVE OR CIRCUMSTANTIAL EVIDENCE OF A RELEASE TO GROUND WATER? <u>No</u> Describe:
	Jesci ide:
	and of information.
_	arce of information:
(ON TABLE 2 (attached), GIVE NAMES, DESCRIPTIONS, AND CHARACTERISTICS GEOLOGIC/HYDROGEOLOGIC UNITS UNDERLYING THE SITE.
]	NET PRECIPITATION: 41.37" ANNUALLY
.]	FACE WATER CHARACTERISTICS
	ARE THERE SURFACE WATER BODIES WITHIN 2 MILES OF THE SITE? YES
	Ditches Lakes Pond _X Creeks Rivers


RUNOFF WILL FLOW INTO LITTLE COTTONWOOD CREEK LOCATED 25 FEET	TO SURFACE WATERS:
PROVIDE A SIMPLIFIED SKETCH OF SURFACE RUNOFF AND SURFACE DOWNSTREAM MILES (see item #35). IS THERE ANY POSITIVE OR CIRCUMSTANTIAL EVIDENCE OF SURFACE WA	
Describe:	
Source of information:	
ESTIMATE THE SIZE OF THE UPGRADIENT DRAINAGE AREA FROM THE SI	TE: <u>2,400</u> acres
Source of information: <u>USGS MAP DROMEDARY PEAK QUADRANGLE</u> ,	1955.
DETERMINE THE AVERAGE ANNUAL STREAM FLOW OF DOWNSTREAM SURFAC	E WATERS
Water Body: LITTLE COTTONWOOD CREEK	Flow: <u>55</u> c
Water Body: <u>JORDAN RIVER</u>	Flow: 600-800 c
Water Body:	Flow: c
IS THE SITE OR PORTIONS THEREOF LOCATED IN SURFACE WATER? N	0
IDENTIFY AND LOCATE (see item #36) ANY SURFACE WATER RECREATION MILES OF THE SITE: LITTLE COTTONWOOD CREEK AND JORDAN RIVER	AREA WITHIN 15 DOWNSTRE
IDENTIFY AND LOCATE (see item #36) ANY SURFACE WATER RECREATION MILES OF THE SITE: LITTLE COTTONWOOD CREEK AND JORDAN RIVER TWO YEAR 24-HOUR RAINFALL: 41.37'	AREA WITHIN 15 DOWNSTRE
MILES OF THE SITE: LITTLE COTTONWOOD CREEK AND JORDAN RIVER	AREA WITHIN 15 DOWNSTRE
MILES OF THE SITE: LITTLE COTTONWOOD CREEK AND JORDAN RIVER TWO YEAR 24-HOUR RAINFALL: 41.37'	
MILES OF THE SITE: LITTLE COTTONWOOD CREEK AND JORDAN RIVER TWO YEAR 24-HOUR RAINFALL: 41.37' GETS DISCUSS GROUND WATER USAGE WITHIN FOUR MILES OF THE SITE: G	
MILES OF THE SITE: LITTLE COTTONWOOD CREEK AND JORDAN RIVER TWO YEAR 24-HOUR RAINFALL: 41.37' GETS DISCUSS GROUND WATER USAGE WITHIN FOUR MILES OF THE SITE: G	
MILES OF THE SITE: LITTLE COTTONWOOD CREEK AND JORDAN RIVER TWO YEAR 24-HOUR RAINFALL: 41.37 GETS DISCUSS GROUND WATER USAGE WITHIN FOUR MILES OF THE SITE: G FOR DRINKING BUT IT IS ALSO USED FOR IRRIGATION.	ROUNDWATER IS MAINLY US
MILES OF THE SITE: LITTLE COTTONWOOD CREEK AND JORDAN RIVER TWO YEAR 24-HOUR RAINFALL: 41.37 GETS DISCUSS GROUND WATER USAGE WITHIN FOUR MILES OF THE SITE: G FOR DRINKING BUT IT IS ALSO USED FOR IRRIGATION. Source of information: UTAH DIVISION OF DRINKING WATER.	ROUNDWATER IS MAINLY US
MILES OF THE SITE: LITTLE COTTONWOOD CREEK AND JORDAN RIVER TWO YEAR 24-HOUR RAINFALL: 41.37' GETS DISCUSS GROUND WATER USAGE WITHIN FOUR MILES OF THE SITE: G FOR DRINKING BUT IT IS ALSO USED FOR IRRIGATION. Source of information: UTAH DIVISION OF DRINKING WATER. SUMMARIZE THE POPULATION SERVED BY GROUND WATER ON THE TABLE: Distance (Miles) Population 0 - 1/4	ROUNDWATER IS MAINLY US
MILES OF THE SITE: LITTLE COTTONWOOD CREEK AND JORDAN RIVER TWO YEAR 24-HOUR RAINFALL: 41.37' GETS DISCUSS GROUND WATER USAGE WITHIN FOUR MILES OF THE SITE: G FOR DRINKING BUT IT IS ALSO USED FOR IRRIGATION. Source of information: UTAH DIVISION OF DRINKING WATER. SUMMARIZE THE POPULATION SERVED BY GROUND WATER ON THE TABLE Distance (Miles) Population	ROUNDWATER IS MAINLY US

Source of information: SEE PA, APPENDIX G, DRINKING WATER SOURCES WITHIN 4 MILES OF THE SITE.

DISTRICT AND SERVES ABOUT 180,000 PEOF	HE SITE. IT IS OWNED BY THE METROPOLITAN WATER PLE.
Source of information: _SALT_LAKE CIT	Y WATER SYSTEM.
	15 DOWNSTREAM MILES OF THE SITE (i.e., provide e, etc.): LITTLE COTTONWOOD CREEK IS A FISHERY.
Source of information:DEPARTMENT OF	NATURAL RESOURCES.
DETERMINE THE DISTANCE FROM THE SITE T	TO THE NEAREST OF EACH OF THE FOLLOWING LAND USES
Description	Distance (Miles)
Commercial/Industrial/Institutional	1.0
Single Family Residential	3,5
Multi-Family Residential	3.5
Park	>4
Agricultural	>4
Source of information: <u>SITE VISIT.</u>	
SUMMARIZE THE POPULATION WITHIN A FOUR	-MILE RADIUS OF THE SITE:
Distance (Miles) Population	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
Source of information: 1990 CENSUS T	RACTS
ER REGULATORY INVOLVEMENT	
DISCUSS ANY PERMITS:	
County: NONE KNOWN.	
State NONE VNOUN	
State: NONE KNOWN.	
Federal: NONE KNOWN. Other: NONE KNOWN.	

34. SKETCH OF SITE

Include all pertinent features, e.g., wells, storage areas, underground storage tanks, waste areas, buildings, access roads, areas of ponded water, etc. Attach additional sheets with sketches of enlarged areas, if necessary.



5. SURFACE WATER FEATURES

Provide a simplified sketch of the surface runoff and surface water flow system for 15 downstream miles. Include all pertinent features, e.g., intakes, recreation areas, fisheries, gauging stations, etc.




TABLE 1

WASTE CONTAINMENT AND HAZARDOUS SUBSTANCE IDENTIFICATION *

SOURCE TYPE	SIZE (Volume/Area)	ESTIMATED WASTE QUANTITY	SPECIFIC COMPOUNDS	CONTAINMENT **	SOURCE OF INFORMATION
CONTAMINATED SOIL	20 ACRES	INSUFFICIENT INFORMATION TO ESTIMATE.	LEAD, ARSENIC, AND OTHER HEAVY METALS.	GROUNDWATER-NON EXISTENT. SURFACE WATER-NONE. SOIL EXPOSURE-NONE. AIR-NON EXISTENT	SITE VISIT.
·, · · · · · · · · · · · · · · · · · ·					

^{*} Use additional sheets if necessary.

^{**} Evaluate containment of each source from the perspective of each migration pathway (e.g., ground water pathway - non-existent, natural or synthetic liner, corroding underground storage tank; surface water - inadequate freeboard, corroding bulk tanks; air - unstable slag piles, leaking drums, etc.)

TABLE 2

HYDROGEOLOGIC INFORMATION *

STRATA NAME/ DESCRIPTION	THICKNESS (ft)	HYDRAULIC CONDUCTIVITY (cm/sec)	TYPE OF DISCONTINUITY **	SOURCE OF INFORMATION
SANDY, GRAVELY, COARSE GRAINED DEPOSIT.	1-25 FEET	0.025-50 FT/DAY	UNKNOWN	TECHNICAL PUB. 31 UTAH, DNR 1971.
BEDROCK	25 TO SEVERAL 100 FT.	0.025-50 FT/DAY	UNKNOWN	
-				

- Use additional sheets if necessary.
- ** Identify the type of discontinuity within four-miles from the site (e.g., river, strata "pinches out", etc.)

APPENDIX B EPA POTENTIAL HAZARDOUS WASTE SITE FORM

IDENTIFICATION POTENTIAL HAZARDOUS WASTE SITE State: CERCLIS Number: UTD988075263 PRELIMINARY ASSESSMENT FORM CERCLIS Discovery Date: 4/20/92 1. GENERAL SITE INFORMATION: Name: Jones and Pardee Smelter Site Street Address: Tanners Flat State: Utah City: Little Cottonwood Canyon Zip Code: 84092 County: Salt Lake County Code: 035 Congressional District: Latitude: 40° 34 ' 20 . 0 " Status of Site: Longitude: 111 ° 41 ' 56 . 0 " Active Inactive Not Specified Approximate Area of Site: Not Applicable 20 Acres ______ Square Feet 2. OWNER/OPERATOR INFORMATION Owner: Wasatch National Forest Operator: Street Address: Little Cottonwood Canyon Street Address: City: N/A City: State: Utah Zip Code: 84092 State: Zip Code: Telephone: Telephone: Type of Ownership: How Initially Identified: ___ State ___ RCRA/CERCLA __ Private _ Citizen Complaint _ Indian _ Municipal PA Petition Notification X State/Local Program _ Not Specified County Not Specified X Federal Agency _ Incidental ___ Other _ Other _ Federal Program 3. SITE EVALUATOR INFORMATION Name of Evaluator: Ty Howard Agency/Organization: UDEQ/DERR Date: 3/1/93 Street Address: 1950 West North Temple City: Salt Lake State: Utah Name of EPA or State Agency Contact: Ty Howard Telephone: (801) 536-4100 Street Address: 1950 West North Temple City: Salt Lake City State: Utah 4. SITE DISPOSITION (for EPA use only) Emergency Response/Removal CERCLIS Recommendation: Signature: Assessment Recommendation: ___ Higher Priority SI ___ Yes ___ No ___ Lower Priority SI Name (typed): Date: __/_/_ ___ NFRAP ___ RCRA Position: ___ Other: _____ Date: _ / /

POTENTIAL HAZARDOUS PRELIMINARY ASSESSM		OF 4	:	CERCLIS Number UTD988075263	
5. GENERAL SITE CHARACTERIST	ıcs	<u>.</u>	:::· <u>-</u>		
X Forest/Fields		Uı	rban ıburban	ears of Operation: Beginning Year: <u>1871</u> Ending Year: <u>1872</u> Unknown:	
Type of Operations (check al _ Manufacturing _ Lumber and Wood Product: _ Inorganic Chemicals	ail Voling K/Salvage		Waste Generated: Onsite Offsite Onsite and Offsite X Unknown		
Plastic and/or Rubber P. Paints, Varnishes Industrial Organic Chem Agricultural Chemicals (e.g. Pesticides, fert Miscellaneous Chemical (e.g. Adhesives, explo- X Primary Metals Metal Coating, Plating, Metal Forging, Stamping	Othe icalsDODDOE ilizers)Othe productsOthe sives, ink)RCRA EngravingTi	:eatment,	ill al Facility	Former Owner _ Unauthorized X Unknown	
Metal Forging, Stamping or Disposal FacilityFabricated Struct. Metal ProductsElectronic EquipmentSmall Quantity GenOther ManufacturingSubtitle DMunicipalMetalsIndustrialCoal"Converter"Oil and Gas"Protective Filer"Non-Metallic Metals"Non or Late Filer"Not Specified X_Other: Metal Smelting				Waste Accessible to the Public: X Yes No Distance to Nearest Dwelling, School, or Workplace: 5,280 Feet	
6. WASTE CHARACTERISTICS INFO	ORMATION				
SOURCE TYPE: (Check all that apply) Landfill	SOURCE WASTE QUANTITY (Include Units)	TIER*	(Check al. X Meta: Organ	nics	
Surface Impoundment Drums Tanks and Non-Drum Containers Chemical Waste Pile Scrap Metal or Junk Pile			Solve Pain Labo Radie Oily Pest	ts/Pigments ratory/Hospital Waste pactive Waste Waste icides/Herbicides	
Tailings Pile Trash Pile (Open Dump) Land Treatment Contaminated Ground Water Plume (Unidentified Source) Contaminated Surface			Acid: Const Was: Munic Minic Explc	s/Bases truction/Demolition te sipal Waste ng Waste	
Water/Sediment (Unidentified Source) X Contaminated Soil Other No Sources * C = Constituent, W = Wast V = Volume, A = Area	20 Acres	<u>A</u>	Wast (Checl <u>X</u> So L	ysical State of ce as Deposited c all that Apply): clid Gas cquid Powder ludge	

:-

-

POTENTIAL HAZARDOUS WASTE SITE

CERCLIS Number

PRELIMINARY ASSESSMENT	FORM - PAGE	3 OF 4		UTD988075263		
7. GROUND WATER PATHWAY						
Is the Ground Water Used for Drinking Water Within 4 Miles: No	to Ground	Suspected Release Water: Yes <u>X</u> No	List Secondary Target Population Served by Ground Water Withdrawn From:			
Type of Drinking Water Wells Within 4 Miles (Check all that apply):		ry Target Drinking s Been Identified:	0-¼ Mile <u>()</u> >¼-½ Mile <u>0</u>			
X Municipal		Yes <u>X</u> No	>½-1 Mi	le		
X Private	If Yes, En Population	ter Primary Target :	>1-2 Miles <u>0</u> >2-3 Miles <u>310</u>			
None		People				
Depth to Shallowest Aquifer: <pre></pre>	Protection 0	Nearest Designated Wellhead Protection Area:		Within s 1,110		
8. SURFACE WATER PATHWAY	<u> </u>	<u> </u>	·			
Type of Surface Water Draining : Miles Downstream (Check all that		Shortest Overland Source to Surface		From Any		
X Stream River Pond Bay Ocean Other	Lake			Miles		
Is There a Suspected Release to Water: Yes X No	Surface	Site is Located In Annual - 10 X > 10 yr - 10 - > 100 yr - 9 - > 500 yr Flo	yr Flood 30 yr Flo 300 yr Fl	odplain .oodplain		
Drinking Water Intakes Located Along the Surface Water Migration Path:	Have Prima: Drinking Wa Been Ident	ater Intakes		nter Population Primary Target		
X Yes No	Yes	<u>X</u> No		People		
	ing Water Indater Body eek	takes: Flow (cf: 55		80,000		
		Total Within 15 M	iles <u>18</u>			
Fisheries Located Along the Surf Water Migration Path:	face	Have Primary Targe Identified:	et Fisher	ies Been		
X Yes No		Yes	s <u>X</u>	No		
List All Secondary Target Fisher Water Body / Fis Little Cottonwood Creek Jordan River	:ies: shery Name			(cfs) 5 600		
 				-		

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT FORM -	CERCLIS Number UTD988075263		
8. SURFACE WATER PATHWAY (continued)			· · · · · · · · · · · · · · · · · · ·
Wetlands Located Along the Surface Wate Migration Path: X Yes No		ave Primary Target Wetla dentified: Yes X	
List Secondary Target Wetlands: Water Body Little Cottonwood Creek		Flow (cfs) 55	Frontage Miles Unknown
Other Sensitive Environments Located al the Surface Water Migration Path: YesX No	I	Have Primary Target Sens Environments Been Identi YesX	fied:
List Secondary Target Sensitive Environ		Flow (cfs) Sensitive	Environment Type
9. SOIL EXPOSURE PATHWAY			
Are People Occupying Residences or Attending School or Day Care Within 200 Feet of Areas of Known or Suspected Contamination: YesX No 1 - 100 101 - 1,000 101 - 1,000 > 1,000			
Have Terrestrial Sensitive Environments of Known or Suspected Contamination: If Yes, List Each Terrestrial Sensitive		Yes <u>X</u> No	00 Feet of Areas
10. AIR PATHWAY			
Yes <u>X</u> No	Wetlands	X Yes No	of the Site:
		ensitive Environments Lo	cated Within
0 - ½ Mile41		X Yes No	
> ½ - 1 Mile	of the S	Sensitive Environment Wetland Area	onment Type -
> 2 - 3 Miles 3,717 > 3 - 4 Miles 12,165 Total Within 4 Miles: 17,618		Mile <u>None</u> Mile <u>None</u>	

APPENDIX C CERCLA ELIGIBILITY QUESTIONNAIRE

CERCLA ELIGIBILITY QUESTIONNAIRE

SITE	NAME:	Jones & Pardee Smelter Site		
CITY:	Litt	le Cottonwood Canyon STATE: Utah	·	
EPA I	D NUMBER	: <u>UTD988075263</u>		
I.	CERCLA	ELIGIBILITY	Yes	<u>No</u>
	Did the	e facility cease operation prior to November 19, 1980?	<u>x</u>	
•	If answ	ver YES, STOP, facility is probably a CERCLA site.		
l	If answ	er is NO, Continue to Part II.		
II.	RCRA EL	IGIBILITY	<u>Yes</u>	<u>No</u>
	Did the	Facility file a RCRA Part A application?		
	If YES:			
	1.	Does the facility currently have interim status?		
•	2.	Did the facility withdraw its Part A application?		
	3.	Is the facility a known or possible protective filer? (Facility filed in error).		
	4.	Type of facility:		
		Generator Transporter Recycler		
		TSD (Treatment/Storage/Disposal)		
	Does th	e facility have a RCRA operating or post closure permit?		
	identif	facility a late (after 11/19/80) or non-filer that has been ied by the EPA or the State? (Facility did not know it to file under RCRA).		_
	all ans te.	wers to question in Part II are NO, STOP, the facility is a CEF	RCLA e	ligible
Ιf	the ans	wer to #2 or #3 is YES, STOP, the facility is a CERCLA eligible	site.	
If II		#2 and #3 are NO and any OTHER answer is YES, site is RCRA, cont	inue	to Part
III.	RCRA SI	TES ELIGIBLE FOR NPL	<u>Yes</u>	<u>No</u>
	Has the state l	facility owner filed for bankruptcy under federal or aws?		_
		facility lost RCRA authorization to operate or shown probable ngness to carry out corrective action?		
		facility a TSD that converted to a generator, transporter or r facility after November 19, 1980?		
IV.	ехемрте	D SUBSTANCES		
	Does th	e release involve hazardous substances other than petroleum?		

The site may never reach the NPL. We need to be able to refer it to any other program in EPA or state agencies which may have jurisdiction, and thus be able to effect a cleanup. Responses should summarize available information pertaining to the guestion.

- 1) is there an owner or operator? Yes, the property is owned by the Federal Government.
- 2) (NPDES-CWA) Is there a discharge water containing pollutants with surface water through a point source (pipe, ditch, channel, conduit, etc.)? No.
 - 3) (Sec. 404-CWA) Have fill or dredged material been deposited in a wetland or on the banks of a stream? Is there evidence of heavy equipment operating in ponds, streams or wetlands? No.
- 4) (UIC-SDWA) Are fluids being disposed of to the subsurface through a well, cesspool, septic system, pit, etc.? No.
- 5) (TSCA) Is it suspected that there are PCB's on the site which came from a source with greater than 50 ppm PCB's such as oil from electrical transformers or capacitors? No.
- 6) (FIFRA) Is there a suspected release of pesticides from a pesticide storage site? Are there pesticide containers on site? No.
- 7) (RCRA Subtitle D) Is there an owner or operator who is obligated to manage solid waste storage or disposal units under State solid waste or groundwater protection regulations?
 No.
- 8) (UST) Is it suspected that there is a leaking underground storage tank containing a product which is a hazardous substance or petroleum? No.

APPENDIX D

SITE VISIT REPORT

SITE VISIT REPORT

DATE/TIME:

March 4, 1993

10:00 a.m.

WEATHER CONDITIONS:

Clear day with temperatures about 30° F. Site was snow

covered.

PARTICIPATES/AFFILIATION:

Ty L. Howard (DERR), Doug Taylor (DERR)

1.0 INTRODUCTION

The purpose of the site visit is to obtain photographs as documentation of the visit and to gather information on current conditions at the site. Access to the property was not required since the area was open to the public.

2.0 SITE DESCRIPTION

The site is located in the Wasatch National Forest approximately 3 miles northwest of the Alta Ski Resort. Little Cottonwood Creek is located 25 feet to the south. The site is located in the Tanner Flat Forest Service Campground approximately seven (6) miles from the mouth of Little Cottonwood Canyon. The area is not fenced and is accessible to the public. It was difficult to assess the amount of any slag present on the site since the area was covered with snow. However, previous excursions by DERR staff, during the discovery phase, indicated that the amount of slag present is very small. The site covers an area of approximately 20 acres.

3.0 AREA DESCRIPTION

The area is located in the Tanner Flats Campground area within Little Cottonwood Canyon. This area is at the bottom of the canyon in somewhat of a flat region. Steep canyon walls rise from the site to the north and the south. Snowbird Ski Resort is located about 1 mile further up the canyon and Alta Ski Resort is located approximately 3 miles further up the canyon.

4.0 SITE PHOTOGRAPHS

Photograph #1:

A view looking southwest at Tanner Flat Campground.

Photograph #2:

A view looking south at Tanner Flat Campground.

Photograph #3:

A view looking south at the east portion of Tanner Flat

Campground,

Photograph #4:

A view southeast of the area just east of the Tanner Flat

Campground. This may be the area where the actual smelter

was located. White Pine Canyon is in the background.

5.0 SITE SAFETY PLAN

A Site Safety Plan is included following the photographs.

6.0 SITE SKETCH MAP

A Site Sketch Map is included following the Site Safety Plan.



PHOTO 1



PHOTO 2



РНОТО 3




PHOTO 4

PRELIMINARY ASSESSMENT SITE VISIT SAFETY PLAN

GENERAL INFORMATION	
Site Name: Jones & Pardee Smelter	
Address: Little Cottonwood Canyon Utah	EPA Identification Number: UTD988075263
	<u> </u>
PRE-VISIT CONFERENCE	
Date of Conference: 7/7/92 Team Members: Doug Taylor	
Supervisor: Brad Johnson	
Team Leader: Ty L. Howard	
SITE CHARACTERISTICS	
Site Description: An old smelter site located in Little Cottonwood Canyon. The site is located in a campground area known as Tanner Flats.	
Site History: The smelter operated from 1871 to 1873 and processed various types of metals.	
HAZARD EVALUATION	
Contaminants likely to be encountered on-site: Heavy metals in soil.	
Hazards associated with the contaminants: Toxic.	
Primary exposure hazards: Contaminated soil.	
SAFETY MEASURES	
Safety Equipment List: Safety Shoes	. Hard Hats
Nearest Hospital/Clinic: Alta View Hospital	
Address:9660 South 1300 East	
Sandy 571-5411	
NOTIFICATIONS	
Site: Local Health Department:	
	ocal health bepartment.
Tham Leader Signature Date Supervisor Signature Date	

APPENDIX E LATITUDE/LONGITUDE DOCUMENT RECORD FORM

LATITUDE/LONGITUDE DOCUMENT RECORD FORM



SITE NAME: ________ NUMBER: UTD988375283

MAP NAME: ______ Dromedary Peak, Utah ______ SCALE: ______ SCALE: ______ DATUM: _____ 1929


COORDINATES OF LOWER RIGHT HAND CORNER OF 2.5 MINUTE GRID

LATITUDE 40° 32' 30" LONGITUDE 111° 40' 0"

LATITUDE AND LONGITUDE CALCULATION WORKSHEET WHEN USING CUSTOM RULER OR COORDINATOR (TM)

SITE: Jones & Pardee Smelter	NUMBER: <u>UTD988075263</u>
AKA:	SSID:
ADDRESS: Little Cottonwood Canyon	
CITY:STATE: _U	tah ZIP CODE: 84092
SITE REFERENCE POINT: Center	
TOPO MAP: Dromedary Peak, Utah TOWNSH	IIP:3 S RANGE:2 E
SCALE: 1:24,000 MAP DATE: 1950 SECTIO	N: This area is not sectioned
MAP DATUM: 1929 MERIDI	AN: Salt Lake
COORDINAMES PROM LOWER RICHM (COMMUNICAL CORNER OF 7	E/ MAD.
COORDINATES FROM LOWER RIGHT (SOUTHEAST) CORNER OF 7 LONGITUDE:	
COORDINATES FROM LOWER RIGHT (SOUTHEAST) CORNER OF 2	
LONGITUDE: 111° 40' 0" LATI	
LONGITODE:OO LATI	110DE: 40 32 30
1	
CALCULATIONS: LATITUDE (7.5 MINUTE QUADRANGLE MAP)	
A) ALIGN THE BOTTOM OF THE SCALE WITH BOTTOM OF GRID TOP OF GRID. POSITION EDGE OF RULER OVER SITE BOTTOM ALIGNED.	
B) READ TICS ON RULER AT 1 OR 0.5 SECOND INTERVALS	(INTERPOLATE IF POSSIBLE).
C) RECORD LATITUDE: 40° 34' 20"	
•	
CALCULATIONS: LONGITUDE (7.5 MINUTE QUADRANGLE MAP)	
A) ALIGN THE BOTTOM OF THE SCALE WITH RIGHT SIDE OF THE LEFT SIDE OF GRID. POSITION EDGE OF RULER O' TOP AND BOTTOM ALIGNED.	
B) READ TICS ON RULER AT 1 SECOND INTERVALS (INTERP	OLATE IF POSSIBLE).
c) RECORD LONGITUDE: 111° 41' 56"	
•	
INVESTIGATOR: Ty L. Howard	DATE: <u>2/9/93</u>

APPENDIX F
1990 CENSUS TRACTS



JONES & PARDEE SMELTER SITE

1990 CENSUS TRACTS

Census Tract/		1	/4 Mile	1/	2 Mile	1	Mile	2	Mile	3	Mile	4	Mile
BNA	Persons	%	Pop. #	%	Pop. #	%	Pop. #	%	Pop. #	%	Pop. #	%	Pop. #
110102	4,070	1	41	5	204	10	407	40	1628	65	2646	90	3663
110104	5,483		. 0		0		0		0		0	8	439
111303	6,057		0		0		0		0	5	303	70	4240
112602	12,950		0		0		0		0	5	648	40	5180
112607	6,821		0		0		0		0		0	5	341
112806	10,442		0		0		0		0	10	1044	20	2088
010298	5,417		0		0		0	2	108	15	813	30	1625
9922	2,103		0		0		0		0		0	2	42

407

.1736

5453

17618

204

TOTALS

APPENDIX G

DRINKING WATER SOURCES WITHIN 4 MILES OF THE SITE


UTAH BUREAU OF DRINKING WATER/SANITATION

01/07/93

DRINKING WATER SOURCES WITHIN 21.120 FEET OF: 40+ 34' 20.0" LATITUDE AND 111+ 41' 56.0" LONGITUDE

	WATER SYSTEM NAME	SYSTEM MANAGER	PHONE (801)	SOURCE NO	SOURCE NAME	SOURCE TYPE	FLOW (GPM)	LATITUDE, DEG MIN SEC	LONGITUDE DEG MIN SEC
	ALTA TOWN WATER SYSTEM	KATHERINE BLACK	363-5165-	- 01	BAY CITY TUNNEL	TUNNEL -	295	-40 35 51.8	-111 37 51.4
	BRIGHTON EST-CAB OWN-ASSN	DEAN-BAKER	960-4107	-01	WELL	Velt.		#0 35 45.0	111 40 30:0
	BRIGHTON 257 CAB OWN ASSN	DEAN BAKER	900-4107	- 02-		WELL .		40-3349-0-	111 40 -30.0
	METHO WATER DIST OF SEC	-NICK-SEPAKIS -	384-55 28 -	92	-L-CTTNWD CA-2FT	SURFACE 3	4.700	वर्ष उव 📑 ५७५%	111 ⁻⁷⁶ 5 37 78
	NOATH-DRY-CREEK TRR-CO	SCOTT APNOLD	561 67 90		BELL CANYON	STREAM	100	4 0 32 28:0	- 111/44 / 58/5
ı	SLCO S AREA #3 (SNOWBIRD)	DOUG EVANS	278-9660	01	PERUVIAN MINE	TUNNEL	1.00	40 34 29.5	UL 38 45.0
	SECO-S-AREA #3 (SNOWDIRD)	DOUG EVANS	-278-9660-	- 02	HELLOATE MINE	THINNEL -	100-	- 40 35 20.0	· 111 38 - 56. ቀ
2	SUCO S AREA #3 (SNOWBIRD)	DOUG EVANS	278 - 9660	03	WASATCH BRAIN	TUNNEL	3.200	40 35 00.5	HII 39 01.5
3	SLCO S AREA #3 (SNOWBIRD)	DOUG EVANS	278-9660	04	GAD VALLEY SPG	SPRING	80	40 34 03.5	111 39 20.0
	-STORM-MOUNTAIN CAMPGROUND	FOREST ENGINEER	-524-5163	Ðι	310RM: MT	SPR1NG		-ие-37 - 25 м	-111 44 25-0
4	TANNERS FLAT CAMPGROUND	FOREST ENGINEER	524-5103	61	TANNERS SPR	SPRING	59	40 34 20.0	111 41 56.9
\$	WATSON SHELTER	JOHN CARILL	328-8589	θι	NORTH COLLINS	SPRING	в	40 34 33.0	111 38 69.0
4	WATSON SHELTED	JOHN CAHILL '	328-8589	02	SOUTH SPRING	SPRING	. 8	49 34 33.0	111 38 99.0

NORTH



MAP SOURCE: USGS 30' x 60' Topo.

Salt Lake City, Utah-Wyoming

o Source Location

NORTH

UTAH DEP. OF ENV. QUALITY

DIVISION OF ENVIRONMENTAL RESPONSE AND REMEDIATION

1:100,000 Map

Drinking Water Source Locations
Jones & Pardee Smelter Site
Salt Lake County, Utah

Ву	Date	Scale
TLH	2/9/93	5/8" = 1 Mi

GROUNDWATER SOURCES

ource	No.	Water <u>System</u>	# of GW Withdrawals <u>in System</u>	% that GW Contributes to System	Served .	Population Affected by Source	Distance from Site (feet)
1	Sal	t Lake Co.	1	100	280	280	14,992
	(Pe	ruvian Mine)					
2	Sal	t Lake Co.	1	100	transient	0	14,275
	(Wa	satch Drain)					
3	Sal	t Lake Co.	1	100	30+transien	t 30	11,714
	(Ga	d Valley Spg.)					
4		ners Flat Camp	Grd. 1	100	transient	0	0
5	Wat	son Shelter	1	100	800	400	17,830
6	Wat	son Shelter	1	100	800	400	17,830

OTE: The source numbers correspond to the numbers to the left of the system name on the Utah Bureau of Drinking Water/Sanitation printout.

Opulation Served by Distance Category:

0 - 1/4 mile	0
>1/4 - 1/2 mile	0
>1/2 - 1 mile	0
>1 - 2 miles	0
>2 - 3 miles	310
>3 - 4 miles	800
TOTAL	1,110


APPENDIX H

WATER POINTS OF DIVERSION (FLOW ≥ 1 cfs) WITHIN 4 MILES OF THE SITE

UTAH DIVISION OF WATER RIGHTS
WATER RIGHT POINT OF DIVERSION PLOT CREATED FRI, JAN 15, 1993, 8:28 AM
PLOT SHOWS LOCATION OF 90 POINTS OF DIVERSION

PLOT OF AN AREA WITH A RADIUS OF 21120 FEET FROM A POINT N 2800 FEET, E 500 FEET OF THE SW CORNER, SECTION 11 TOWNSHIP 3S RANGE 2E SL BASE AND MERIDIAN

PLOT SCALE IS APPROXIMATELY 1 INCH = 10000 FEET



NWPLAT UTAH DIVISION OF WATER RIGHTS POINT OF DIVERSION LOCATION PROGRAM

R	WATER RIGHT			UANTITY AND/OR				RIPTION O	YEAR					F DIV	CNR :		SCRIP1			N P	PTEE	U	
	a16840	DATER IN	SE(S).	MUNICIPA y Corpora y Corpora y Corpora	il.				West West West	Temp Temp Temp	S 4 le le le				PRIOR Sa Sa	RITY alt L alt L	2S DATE: ake C ake C ake C	06/24 ity ity		? IT 8 IT 8	34115 34115 34115	X	
		WATER US Ouray Pa	SE(\$): ark lr	OTHER rigation rigation	Сопралу						s 20	50	E	200	PRIOR La	RITY	DATE: it	09/09	7/1 99 2 J	? IT 8	t 14039 14063		
!	57 8897		SE(S):	POWER .		Wasatch		Tunnel 8 1530 Sout				200	u		PRIO	ALIL	2\$ DATE: Jordar	09/08		•	4065)	(
	57 6	WATER US	SE(S):	IRRIGATI ford lrri	ON		South	Fork of	Big Co	otto	s 10	080	E	1093	PRIOR		DATE:	11/05	SL 5/1904 L	•	x	X	
	57 6	WATER US	SE(S):	IRRIGATI ford Irri	ON		South	Fork of	Big Co	otto	S 13	63	E	543	PRIOR		DATE:		*		x	x	
	57 42	WATER US	SE(S):	IRRIGATI ford Irri	ON			Number 1			s ,10	080	£		PR106		DATE:			2	X 34107	x	
		WATER US	SE(S):	IRRIGATI ford Irri	ON		anch	Number 3			S 16	46	E		PRIO		DATE:			,	X 34107	X	
	57 6	WATER US	SE(S):	IRRIGATI ford Irri	ON		South	Fork of	Big C	otto	S 16	46	E	2442	PRIO		DATE:		•		x	X	
5	57 7501	WATER US		DOMESTIC rvice		Unnamed	•	ng 24 25th S	itreet							RITY gden	DATE:	05/26			X 94401		X
, ,	57 7500			DOMESTIC rvice		Unnamed		ng 24 25 th S	treet							RITY gden	DATE:	05/26			X 34401	X	X
	a16839		SE(S):	MUNICIPA y Corpora	L.	Spring (530 South	West	7 emp	le		W	1700		RITY	2\$ DATE: .ake C	06/24		2	34115	X	
]	t92-57-7	WATER US		IRRIGATI y (Depart	ON MUNIC	CIPAL OT	HER	nwood Cr 530 South	·			00	W	1500	PRIO		3S DATE: ake C	03/30		2	(34115	X	
	57 4	WATER US Gibbs, I		MINING	.00	Undergr		Water Tun 287 Third		•		41	E	1163		RITY	3\$ DATE: ake C	04/18		S JT	X	;	x
	a17153	WATER US		OR MUNICIPA rovement			8	910 565 West	State	High	s 15 нау	34	u	770		4 opper	3s . rton	2E	SL U		34006	;	x
ł	57 7129	WATER U		DOMESTIC Transpor	MINING	OTHER		and Trans 30 Atlas	•		\$ 16	501	W	1355	PRIO		3S DATE: ake C	05/00)T	x	,	ĸ

NUPLAT POINT OF DIVERSION LOCATION PROGRAM

WATER RIGHT				SOURCE DESCRIP		og Nof							N	APT PEE PRR	UĞ
a16841			167.90 L tion	Quincy Mine Tuna 1530	nel South West T	S emple	2950	W	480	N4 5 PRIORIT Salt	Y DATE:	06/24/	1992		
	2.6960 WATER USE(S) Lone Peak Pa	: DINEK	.00	Wasatch Drain Io Snowl	unnel oird Resort P	\$ laza	3364	W	3739	DK TOK LL	r DATE:	3 E 03/25/	1985		
	11.0000 WATER USE(S) Snowbird LTD	: POWER	.00	₩asatch Drain To				w	1309	PRIORIT	Y DATE:	3E 02/27/	1986		
t92-57-1	.0000 WATER USE(S) Salt Lake Ci	: IRRIGATION TO THE CONTROL OF THE C	2000.00 ON MUNIC ment of	Tunnels and Spr IPAL OTHER Public Uti 1530	ings South West T	s emple	3567	W	1309	NE 6 PRIORIT Salt	3\$ Y DATE: Lake C	3E 03/30/ ity	SL 1992 UT	X 84115	x
57 5919	5,5700 WATER USE(\$) Wasatch Mine	: DOMESTIC s Company	.00. Dainim	Tunnel 1109	Newhouse Bui	S lding	3492	ĸ	2075	PKIOKIF	I DATE:	3E 00/00/	1712		х
7 8664	65.0000 WATER USE(S) Snowbird Ltd	: POWER	.00	Little Cottonwoo	od Creek	Ş	4300	E	1100	PRIORIT		12/17/	1982		
	WATER USE(S)	: POWER OT	HER	Little Cottonwood Corporati 409 (628	E		SW 2 PRIORIT Salt	Y DATE:		1904		x
	.0110 WATER USE(S) O'Toole, Wil	: DOMESTIC		Unnamed Spring 1980			905	¥	3680	PKIOKII	I DAIL:	2€ / /	1902		
	WATER USE(S)	: POWER	.00	Little Cotonwood	j Creek	s		Ε	340	PRIORIT	r DATE:	2E 05/27/ ity	1903		x
16839	WATER DOCEST	: MUNICIPA	L	Spring Areas 1530						PKIOKII	. DAIE:	2E 06/24/ ity	1772		
:92-57-1	,0000 WATER USE(S) Salt Lake Ci	: IRRIGATIO ty (Departi	2000.00 ON MUNIC ment of	Tunnels and Spr IPAL OTHER Public Uti 1530	ings South West T	S emple	1827	w	2992	N4 8 PRIORIT Salt	3S r DATE: Lake C	3E 03/30/ ity	SL 1992 UT	x 84115	x
	WATER USE(S)	: MUNICIPAL	L	Unnamed Spring 1530				E		PRIORIT	Y DATE:		1992		
	10.3200 WATER USE(S) Whitmore Oxy	: OTHER		Little Cottonwoo P.O.		s	496	Ε	85	W4 8 PRIORIT Salt	Y DATE:	2E 01/28/ City	1929	x 84125	
	30.0000 WATER USE(S) Whitmore Oxy	: OTHER		Little Cottonwoo		s	517	Ε	1366	W4 8 PRIORIT Salt	Y DATE:			X 84125	
	10.3200 WATER USE(S) Whitmore Oxy	: OTHER		Little Cottonwoo		s	550	E		W4 8 PRIORIT Salt	Y DATE:		1929		
57 56	20.3200 WATER USE(\$) Cottonwood G	: POWER	.00	Little Cottonwoo	od Creek	s	550	E		W4 8 PRIORIT	Y DATE:	2E 05/17/	1913	x	x

NWPLAT UTAH DIVISION OF WATER RIGHTS POINT OF DIVERSION LOCATION PROGRAM

	• • •	••••				*				••••	••••	• • • • •	• • • • •				4 P T	SUPR
A	R 	WATER RIGHT	CFS AND/OR AC-	FT	DIAMET		YEAR LOG	NORT	H 	EAS	1	CNR S	SEC	SCR1PT			PEE	UGTERWPD
N	57	88	20.0000 WATER USE(\$): POWER Temple Granite Quarries			Cottonwood Cr 430 East							DITY	3s DATE: .ake Ci	10/01	SL /1930 UT		x
°	57	' 81	30.0000 WATER USE(S): OTHER Whitmore Oxygen Company		Little	Cottonwood Cr P.O. Box	·eek	\$				E4 PRIOR	8 ?! T Y	3s Date:	2E 01/28	SL	x	
ਰ ■	57	57	30.0000 WATER USE(\$): POWER Cottonwood Granite Compar		Little	Cottonwood Cr	·eek	\$	548	W	1000	PRIOR	YTIS	DATE:	05/17	\$L /1913 UT		X
₹	57	866	15.0000 WATER USE(S): POWER Whitmore, Rich	.00		Cottonwood Cr 6900 Sout				E		PRIOR	YTIS	DATE:	07/13	\$L /1944 UT		X
-	57	54	20.2400 WATER USE(S): POWER Cottonwood Granite Compar							£		PRIOR	YTES	DATE:	03/19	\$L /1913 UT		x
	57	8838	50.0000 WATER USE(\$): POWER Murray City Corporation	.00	Little	Cottonwood Cr	reek	\$	791	E	1798	PRIOR	SITY	DATE:	05/13	SL /1987 UT		
	57	66	10.0000 WATER USE(S): OTHER Whitmore, A. O.	.00		Cottonwood Cr Wasatch R				E		PRIO		DATE:	10/08	SL /1920 UT		x
	57		8.0000 WATER USE(S): POWER Wasatch Power Company	.00	South F	ork Little Co	ottonwood C	\$ 3	447	W	4407	PRIO	RITY	DATE:	09/28	SL /1915 UT		X
Ŷ	57		.3524 WATER USE(S): DOMESTIC			Cottonwood Cr										SL		
			West Jordan, City of			1850 W est	: 7800 South					We	est J	lordan		UT	84084	
ş	57	8738	.6500 WATER USE(S): MUNICIPAL Salt Lake City Corporatio	.00 n	Little	Cottonwood Cr 1530 Sout	reek :h West Temp	S le St	836 reet	E	4518	W4 PRIOR Sa	7 RITY alt L	3S DATE: ake Ci	ZE 00/00 i ty	SL /1856 UT	X 84115	x
S	57			.00	Little	Cottonwood Cr	·eek	s	837	E	4512	W 4	7	3s	2E	\$L /1981	x	
I			Murray City Corporation			5461 Sout	th State Str	eet					urray			UT		
s E	57	24	.8776 WATER USE(S): DOMESTIC Taylorsville-Bennion Impr			Cottonwood Cr rîc 1800 West			836	E	4518	PRIOR	RITY	DATE:	00/00	SL /1856 UT		
-	57	95	5.0000 WATER USE(S): MUNICIPAL Salt Lake City Corporatio			Cottonwood Cr 1530 Sout				E	4518	PRIOR	RITY		05/27	SL /1933 UT		
	57	98	3.0000 WATER USE(S): MUNICIPAL Salt Lake City Corporatio							E	4518	PRIO	RĮTY	DATE:	12/15	SL /1933 UT		
	57	8739	1.2300 WATER USE(\$): DOMESTIC West Side Water System				·			E	4518	W4 PRIO	7 RITY	3S DATE:	2E 00/00	SL /1856 UT	x	
	57	446	8.0000 WATER USE(S): MUNICIPAL F Murray City Corporation			Catt onwood Cr 5025 Sout			838	E	4512	PRIOR		DATE:		SL /1940 UT		

NWPLAT POINT OF DIVERSION LOCATION PROGRAM

						• •		• • • • • • • • • • • • • • • • • • • •		A D 7	۰	
R		WATEI RIGH		SOURCE DESCRIPTION or WELL INFO DIAMETER DEPTH YEAR LOG N				ERSION DESCRI		PEE		, , , , , , , , , , , , , , , , , , ,
S	a12	2091	37.3200 .00 WATER USE(S): MUNICIPAL Sandy City Corporation	Little Cottonwood Creek S 440 East 8680 South		E			: 12/03/1981	X 84094	X	
T	57	863	WATER USE(S): POWER	Little Cottonwood Creek S 1530 S. West Temple		E	5060 I	NW 10 39 PRIORITY DATE Salt Lake	: 02/26/1982	X 84115	X	
U	57	8614	WATER USE(S): [RR[GATION DOMES	Wasatch Resort East & West Spr S TIC Wasatch Resort, Little			6	PRIORITY DATE	: 00/00/1892	X 84092	x	
V	55	5312	.0000 .00		COLLO					X	x	x
			WATER USE(S): OTHER USA Forest Service					Ogđen		84401		
	57	8614	WATER USE(\$): IRRIGATION DOMES	Wasatch Resort East & West Spr S TIC Wasatch Resort, Little				PRIORITY DATE	: 00/00/1892	X 84092	X	
	t92	2•57	19 .0000 2000.00 WATER USE(S): IRRIGATION MUNIC Salt Lake City (Department of	Tunnels and Springs S IPAL OTHER Public Uti 1530 South West Temple	s 4842 •	W	388 (KIOKIII DAIL	3E \$L : 03/30/1992 Cîty UT	X 84115	x	
	55	5112	.0000 .00 WATER USE(S): OTHER USA Forest Service	American Fork Creek 324 - 25th Street			1	PRIORITY DATE	: 00/00/1855 UT	x 84401	x	X
	55	5113	.0150 .00 WATER USE(S): OTHER USA Forest Service	Mineral Spring 324 - 25th Street			1	PRIORITY DATE Ogden	: 00/00/1855 UT	x 84401	x	x
	57	8571	30.0000 .00 WATER USE(S): POWER Murdock, Robert J. Murphy, Melvin H.	North Dry Creek S 2964 East 3135 South 2964 East 3135 South			440	PRIORITY DATE Salt Lake	: 03/17/1981 City UT	84109 84109	x	
	57	53	.0000 213.00 WATER USE(S): IRRIGATION Little Cottonwood Water Compan	Red Pine Lake \$	5 116	£			5 2E SL 5: 02/26/1913 UT	x	x	
	57	8749	WATER USE(S): IRRIGATION OTHER	White Pine Creek S esources 1636 West North Temple		E			: 06/16/1910	x 84116	X	
b.	a 3 8	361	WATER USE(S): OTHER	White Pine Creek S esources 1636 West North Temple		E			2E SL : 06/16/1910 City UT	x 84116		
с :	55	5121	WATER USE(S): OTHER	MaryEllen Spring 324 - 25th Street			ſ	PRIORITY DATE Ogden	:: 00/00/1855 UT	X 84401		x
			.0000 .00 WATER USE(S): OTHER USA Forest Service	MaryEllen Creek 324 - 25th Street			i	PRIORITY DATE	: 00/00/1855	X 84401		X
	55	99	WATER USE(S): DOMESTIC	Unnamed spring N 616 McCornick Building		u			S 3E SL E: 10/20/1931 UT		x	
	57	8	.0000 200.00 WATER USE(S): IRRIGATION	White Pine Lake Mesources 1636 West North Temple	4 2440			PRIORITY DATE	: 09/17/1929	X 84116		

NWPLAT DIVISION OF WATER RIGHTS POINT OF DIVERSION LOCATION PROGRAM

		٠٠٠		CUANTITY		counce	DESCRIPT	IOU 1/C1						rne i		ccoto		U		SUPF
R ····			CFS	AND/OR A	C-FT	DIAMET	ER DEP	TH YEAR	LOG	NORT	H 	EAS	T	CNR S	EC	TWN	RNG	B&M N		
s :	57 87	37	.0800 WATER USE(S) Midvale City	: MUNICIPAL Corporatio	.00 on	Little	Cottonwood 80 Eas	d Creek st Center	Stree	\$:	838	E	4512	W4 PRIOR Mi	7 ITY I dval	3S DATE: e	2E 00/00	SL /1856 UT	X 84047	X
s :	57	80	15,0000 WATER USE(S) Murray City	: POWER Corporation	.00	Little	Cottonwood 5025 :	d Creek South Stat	e Str	s :	839	E	4521	W4 PRIOR Mu	7 ITY I	3S Date:	2E 05/16	SL /1929 UT	X 84107	x
s 5	57	78	15.0000 WATER USE(S) Murray City	: POWER Corporation	,00 1	Little	Cottonwood 5025 :	d Creek South Stat	e Str	S :	838	Ε	4512	W4 PRIOR Mu	7 ITY rray	3S Date:	2E 01/14	SL /1927 UT	X 84107	X
	57	37	15.0000 WATER USE(S) Murray City	: POWER	.00									W4 PRIOR	7 !TY	3s Date:	2E 06/08		x	X
5 :	57 87		.2900 WATER USE(S) Midvale City	. MUNICIPAL										PRIOR	ITY	DATE:	00/00	/1856		
!	57 85	64	55.0000 WATER USE(S) Murray City	: MUNICIPAL Corporation	.00 POWER	Little	Cottonwood	d Creek South Stat	te Str	s :	838	Ε	4512	W4 PRIOR Mu	7 ITY Irray	3s Date:	2E 01/30	\$L /1981 UT	X 84107	x
1	57 87		.2500 WATER USE(S) Midvale City	: MUNICIPAL	,	Little	Cottonwoo	d Creek		s :	838	E		PRIOR	ITY	DATE:	10/31	\$L /1930 UT		
			.7100 WATER USE(S) Midvale City	: MUNICIPAL Corporatio	M		80 Ea:	st Center	Stree	t				PRIOR	TTY	DATE:	00/00	SL /1856 UT		
ľ	1684	3	.0000 WATER USE(S) Salt Lake Ci	2 : MUNICIPAL ty Corporat	2000.00 ion	Tunnels	, Springs	& L. Cott South West	tonwo t Tempi	le								X /1992 UT		
5 1	2919		29.5000 WATER USE(S) Salt Lake Ci	: IRRIGATIO	.00 N MUNIO ion	Utah La CIPAL	ke & Litt 1530 :	le Cottoni South West	rood t Temp	s :	838	E	4512	W4 PRIOR Sa	7 ::TY : t L	3S DATE: ake C	2E 03/30 i ty	\$L X /1992 UT	84115	x
_	2922			: IRRIGATIO	OO.		ke & Litt													x
S 6	2920		53.0350 WATER USE(S) Salt Lake Ci		N MUNIC	Utah La IPAL	ke & Litt	le Cottoni South West	100d	S	838	E	4512	W4 PRIOR	7 LTY	3S Date:	2E 03/30	SL X		x
5 6 1	2921		15.9200 WATER USE(S) Salt Lake Ci		N MUNIC	Utah La IPAL		le Cottoni South West			838	Ε	4512	PRIOR	TTY	DATE:	03/30	SL X /1992 UT		
	57 87		2.0000 WATER USE(S) Sandy Irriga		MUN1CIF	Little PAL		d Creek South 700			853	E	4557	PRIOR			06/02	SL /1982 UT		
9	57 87		37.3200 WATER USE(S) Sandy City C	: MUNICIPAL orporation		Little		d Creek ast 8680 S			853	£	4557			3\$		SL UT		
í	a1231.	2	2.0000 WATER USE(S) Sandy Irriga		ON	Little		d Creek South 700				Ε	4557	PRIOR				/1982	x 84070	

NWPLAT DIVISION OF WATER RIGHTS POINT OF DIVERSION LOCATION PROGRAM

R		ATER		QUANTITY AND/OR AC-		SCRIPT DEP				POI NORTH					ESCR IP		B&M	N	APPEPR	ΕL	JĢ	P R T E P D	
	57	1549	WATER USE(S):	IRRIGATION	2.50 White Pine Her Resources					N 2440 e			PRIC	ORITY	3S DATE: Lake C	10/0			• • •	х 6	(
f	55		.0000 WATER USE(S): USA Forest Se	OTHER	.00 Silver Gla			Stree	t					ORITY Ogden	DATE:	00/0			X 8440		(X	
	55		.0000 WATER USE(S): USA Forest Se	OTHER	,00 Matterhorn		25 th	stree	t					ORITY Ogden	DATE:	00/0			X 3440	·	(X	
	55		DATED HISE/SI.	TODICATION	.00 Silver Lak STOCKWATERING					N 5000	E	1700	PRIC		DATE:	00/0	SL 0/1851 U				(
•	55				95.20 Silver Lak STOCKWATERING Company					N 5000	Ε	1700	SW PRIC	36 ORITY Ameri	3\$ DATE: can fo	2E 00/0 rk	SL 0/1851 U	I J T	X 8400	3	¢		
	55		.0000 WATER USE(S): Pleasant Grov	: IRRIGATION	8.00 Silver Lak STOCKWATERING Company								PRIC	YTIAC	3\$ DATE: and	00/0	0/1851				(
	55		.0000 WATER USE(S): USA Forest Se		.00 Silver Lak		25th	stree	t					DRITY Dgden	DATE:	00/0	-		X 8440	·	K	X	
	55		.0000 WATER USE(S): USA Forest Se	OTHER	.00 Silver Lak		25th) Stree	t					ORITY Ogden	DATE:	00/0	-		X 8440		(X	
	55		.0000 WATER USE(S): USA Forest Se	OTHER	.00 Silver Cre	_	25th	ı Stree	t					DR!TY Ogden	DATE:		0/1855 U			·	K	X	
	55		.0000 WATER USE(S): USA Forest Se		.00 Left Fork I	•) Stree	t					DRITY Dgden	DATE:		0/1855 U			•	K	X	
	55		.0000 WATER USE(S): USA Forest Se	OTHER	.00 Right Fork			stree	t					DR!TY Ogden	DATE:	00/0			X 8440	-	κ	X	

APPENDIX I 1979 AERIAL PHOTOGRAPH OF THE SITE

